NPDES Permit No. IL0064203 Notice No. 7118c

Public Notice Beginning Date: September 18, 2015

Public Notice Ending Date: October 19, 2015

National Pollutant Discharge Elimination System (NPDES)
Permit Program

Draft Renewed and Modified NPDES Permit to Discharge into Waters of the State

Public Notice/Fact Sheet Issued By:

Illinois Environmental Protection Agency
Bureau of Water, Division of Water Pollution Control
Permit Section
1021 North Grand Avenue East
Post Office Box 19276
Springfield, Illinois 62794-9276
217/782-0610

Name and Address of Discharger:

Name and Address of Facility:

Peabody Arclar Mining, L.L.C. 7100 Eagle Crest Boulevard, Suite 200 Evansville, IN 47715 Peabody Arclar Mining, L.L.C. Eagle Valley Mine 5.5 miles south of Equality, Illinois Gallatin County

The Illinois Environmental Protection Agency (IEPA or Agency) has made a tentative determination to issue an NPDES permit to discharge into waters of the state and has prepared a draft permit and associated fact sheet for the above named discharger. The Public Notice period will begin and end on the dates indicated in the heading of this Public Notice/Fact Sheet. Comments will be accepted until the Public Notice period ending date indicated above, unless a request for an extension of the original comment period is granted by the Agency. Interested persons are invited to submit written comments on the draft permit to the IEPA at the above address. Commentors shall provide his or her name and address and the nature of the issues proposed to be raised and the evidence proposed to be presented with regards to those issues. Commentors may include a request for public hearing. The NPDES permit and notice number(s) must appear on each comment page.

The application, engineer's review notes, Public Notice/Fact Sheet, draft permit, comments received, and other documents are available for inspection and may be copied at the IEPA between 9:30 a.m. and 3:30 p.m. Monday through Friday when scheduled by the interested person.

As provided in Section 309.115(a) of the Act, any person may submit a request for a public hearing and if such written comments or requests indicate a significant degree of public interest in the draft permit, the permitting authority may, at its discretion, hold a public hearing. The Agency shall issue public notice of such hearing no less than thirty (30) days prior to the date of such hearing in the manner described by Sections 309.109 through 309.112 of the Act for public notice. The Agency's responses to written and/or oral comments will be provided in the Responsiveness Summary provided when the final permit is issued.

The applicant operates the surface facilities of a previous underground coal mine (SIC 1222). Mine operations result in the discharge of reclamation area discharges and stormwater discharges.

Public comments are invited on the following proposed modifications incorporated into this Permit renewal:

Facility name change from Arclar Company, L.L.C. to Peabody Arclar Mining, L.L.C.

Public Notice/Fact Sheet - Page 2 - NPDES Permit No. IL0064203

This facility has two (2) existing discharges which are located in Gallatin County, Illinois. The following information identifies the discharge points, receiving streams, and stream classifications:

<u>Outfall</u>	Receiving <u>Stream</u>	Latitude (North)	Longitude (West)	
004	Unnamed tributary to Little Eagle Creek	37° 37′ 51″	88° 20' 49"	
005	Unnamed tributary to	37° 40′ 35″	88° 19' 12"	

The stream segment IL_ATEA-07 of Little Eagle Creek receiving the flow from the unnamed tributary into which Outfall 004 discharges is not on the 2012 303(d) list of impaired waters.

The stream segment IL_ATEB of Black Branch receiving the flow from the unnamed tributary into which Outfall 005 discharges is not on the 2012 303(d) list of impaired waters.

Public Notice/Fact Sheet - Page 3 - NPDES Permit No. IL0064203

The reclamation area discharges from this facility shall be monitored and limited at all times as follows:

Outfall⁽¹⁾: 004

Discharge Condition	Parameters					
	pH (S.U.)	Sulfate ⁽²⁾ (mg/l)	Chloride (mg/l)	Hardness	Settleable Solids (ml/l)	
1	6.5-9.0	664	500	Monitor only	0.5	
II	6.0-9.0	664	500	Monitor only	0.5	
III	6.0-9.0	664	500	Monitor only	-	
IV	6.5-9.0	664	500	Monitor only	0.5	

- I Dry weather discharge (base flow, if present) from the outfall.
- II accordance with 35 III. Adm. Code 406.109(b), any discharge or increase in the volume of a discharge caused by precipitation within any 24-hour period less than or equal to the 10-year, 24 hour precipitation event (or snowmelt or equivalent volume) shall comply with the indicated limitations. The 10-year, 24-hour precipitation event for this area is considered to be 5.21 inches.
- III In accordance with 35 III. Adm. Code 406.109(c), any discharge or increase in the volume of a discharge caused by precipitation within any 24-hour period greater than the 10-year, 24-hour precipitation event (or snowmelt of equivalent volume) shall comply with the indicated limitations instead of those in 35 III. Adm. Code 406.109(b).
- IV Discharges continuing 24 hours after cessation of precipitation event that resulted in discharge. For reclamation area discharges, monitoring requirements and permit limitations of Discharge Condition IV are identical to Discharge Condition I to which the outfall discharge has reverted.
- (1) Effluent limitations for reclamation area discharges are contained in 35 III. Adm. Code 406.109.
- (2) Sulfate water quality standards and effluent limitations determined in accordance with 35 III. Adm. Code 302.208(h).

Public Notice/Fact Sheet - Page 4 - NPDES Permit No. IL0064203

The stormwater discharges from this facility shall be monitored and limited at all times as follows:

Outfall⁽¹⁾: 005


Parameters				
рН	Settleable Solids			
(S.U.)	(ml/l)			
6.0-9.0	0.5			

(1) Stormwater effluent limitations for all Discharge Conditions are established pursuant to 40 CFR 122.26, and IEPA correspondence to the industry dated July 31, 1992, with sample frequency for stormwater discharges being once per year.

To assist you in identifying the location of the discharges, please refer to the attached map. The permit area for this facility is located in Sections 4, 17, 18 and 19, Township 10 South, Range 8 East, 3rd P.M., Gallatin County, Illinois.

Peabody Arclar Mining, L.L.C. - Eagley Valley Mine NPDES No. IL0064203

Gallatin County



Illinois Environmental Protection Agency

Division of Water Pollution Control

1021 North Grand Avenue, East

P.O. Box 19276

Springfield, Illinois 62794-9276

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM

Renewed and Modified NPDES Permit

Expiration Date: Issue Date: Effective Date:

Name and Address of Permittee: Facility Name and Address:

Peabody Arclar Mining, L.L.C. Peabody Arclar Mining, L.L.C.

7100 Eagle Crest Boulevard, Suite 200 Eagle Valley Mine Evansville, IN 47715 Eagle Valley Mine 5.5 miles south of Equality, Illinois

Gallatin County

Discharge Number and Classification: Receiving waters

004 Reclamation Discharge Unnamed tributary to Little Eagle Creek

005 Stormwater Discharge Unnamed tributary to Black Branch

In compliance with the provisions of the Illinois Environmental Protection Act, Subtitle C and/or Subtitle D Rules and Regulations of the Illinois Pollution Control Board, and the Clean Water Act, the above-named permittee is hereby authorized to discharge at the above location to the above-named receiving stream in accordance with the standard conditions and attachments herein.

Permittee is not authorized to discharge after the above expiration date. In order to receive authorization to discharge beyond the expiration date, the permittee shall submit the proper application as required by the Illinois Environmental Protection Agency (IEPA) not later than 180 days prior to the expiration date.

Joseph D. Stitely, P.E., Acting Permit Manager Mine Pollution Control Program Bureau of Water

JDS:IW:cs/7118c/7-27-15

NPDES Coal Mine Permit

NPDES Permit No. IL0064203

Effluent Limitations and Monitoring

From the effective date of this Permit until the expiration date, the effluent of the following discharge shall be monitored and limited at all times as follows:

Outfall*: 004 (Reclamation Area Drainage)

	Parameters						
Discharge Condition	pH** (S.U.) ***	Sulfate (mg/l) ***	Chloride (mg/l) ***	Hardness ***	Flow (MGD)	Settleable Solids (ml/l) ***	
I	6.5-9.0	664	500	Monitor only	Measure When Sampling	0.5	
II	6.0-9.0	664	500	Monitor only	Measure When Sampling	0.5	
III	6.0-9.0	664	500	Monitor only	Measure When Sampling	-	
IV	6.0-9.0	664	500	Monitor only	Measure When Sampling	0.5	

- I Dry weather discharge (base flow, if present) from the outfall.
- II In accordance with 35 III. Adm. Code 406.109(b), any discharge or increase in the volume of a discharge caused by precipitation within any 24-hour period less than or equal to the 10-year, 24-hour precipitation event (or snowmelt or equivalent volume) shall comply with the indicated limitations. The 10-year, 24-hour precipitation event for this area is considered to be 5.21 inches.
- III In accordance with 35 III. Adm. Code 406.109(c), any discharge or increase in the volume of a discharge caused by precipitation within any 24-hour period greater than the 10-year, 24-hour precipitation event (or snowmelt of equivalent volume) shall comply with the indicated limitations instead of those in 35 III. Adm. Code 406.109(b).
- IV Discharges continuing 24 hours after cessation of precipitation event that resulted in discharge. For reclamation area discharges, monitoring requirements and permit limitations of Discharge Condition IV are identical to Discharge Condition I to which the outfall discharge has reverted.

Sampling during all Discharge Conditions shall be performed utilizing the grab sampling method. A "no flow" situation is not considered to be a sample of the discharge.

*** One sample per month (1/month) shall be collected if and/or when a discharge occurs under either Discharge Condition I, II or IV and analyzed for the parameters identified in the table above. In addition, at least three (3) grab samples shall be taken each quarter from separate precipitation events under Discharge Condition III and analyzed for parameters indicated in the above table. For quarters in which there are less than 3 such precipitation events, a grab sample of the discharge shall be required whenever such precipitation event(s) occur(s).

The water quality standards for sulfate and chloride must be met in discharges from the above referenced outfall as well as in the receiving stream.

^{*} The Permittee is subject to the limitations, monitoring, and reporting requirements of Special Condition No.13 for the discharges from Outfall 004 and unnamed tributary to Little Eagle Creek receiving such discharges.

^{**} No discharge is allowed from any above referenced permitted outfall during "low flow" or "no flow" conditions in the receiving stream unless such discharge meets the water quality standards of 35 III. Adm. Code 302.204 for pH.

NPDES Coal Mine Permit

NPDES Permit No. IL0064203

Effluent Limitations and Monitoring

Upon completion of Special Condition No. 11 and approval from the Agency, the effluent of the following discharge shall be monitored and limited at all times as follows:

Outfalls: 004 (Stormwater Discharge)

Parameters				
pH*	Settleable Solids			
(S.U.)	(ml/l)			
ì/year	1/year			
6.0-9.0	0.5			

Stormwater discharge monitoring is subject to the following reporting requirements:

Analysis of samples must be submitted with second quarter Discharge Monitoring Reports.

Annual stormwater monitoring is required for all discharges until Final SMCRA Bond is released and approval to cease such monitoring is obtained from the Agency.

^{*} No discharge is allowed from any above referenced permitted outfalls during "low flow" or "no flow" conditions in the receiving stream unless such discharge meets the water quality standards of 35 III. Adm. Code 302.204 for pH.

NPDES Coal Mine Permit

NPDES Permit No. IL0064203

Effluent Limitations and Monitoring

From the effective date of this Permit until the expiration date, the effluent of the following discharge shall be monitored and limited at all times as follows:

Outfalls: 005 (Stormwater Discharge)

Parameters				
pH*	Settleable Solids			
(S.U.)	(ml/l)			
ì/year	1/year			
6.0-9.0	0.5			

Stormwater discharge monitoring is subject to the following reporting requirements:

Analysis of samples must be submitted with second quarter Discharge Monitoring Reports.

Annual stormwater monitoring is required for all discharges until Final SMCRA Bond is released and approval to cease such monitoring is obtained from the Agency.

^{*} No discharge is allowed from any above referenced permitted outfalls during "low flow" or "no flow" conditions in the receiving stream unless such discharge meets the water quality standards of 35 III. Adm. Code 302.204 for pH.

Construction Authorization No. 4327-14

C.A. Date: July 20, 2015

Authorization is hereby granted to the above designee to construct and operate the mine and mine refuse area described as follows:

The reclaimed surface facilities of an underground mine containing a total of 127.06 acres identified as OMM Permit No. 127 area and located in Sections 4, 17, 18 and 19, T10S, R8E, Gallatin County, Illinois, as depicted in IEPA Log Nos. 5578-03 and 5578-03-D.

Surface drainage from the reclaimed surface facilities is controlled by a multi-cell sediment basin and a single cell sediment basin with discharges designated as Outfalls 004 and 005 respectively. The multi-cell sediment basin consists of permanent impoundments Pl001 discharging to Pl020 discharging to Pl010 which ultimately discharges to Pl003 with discharge designated as Outfall 004. Outfall 004 is classified as reclamation area discharges pursuant to IEPA Log No. 0184-08 and correspondence from the Agency dated May 27, 2008. Discharges from Outfall 005 is classified as a stormwater discharge pursuant to IEPA Log No. 9282-09. Discharges from Outfall 005 report to an unnamed tributary to Black Branch.

Design information for permanent impoundments PI001, PI010, PI020 and PI003 is contained in IEPA Log Nos. 1420-07, 1421-07, 1422-07 and 1423-07, respectively.

Location and receiving stream of the Outfalls at this facility are as follows:

Ī	Outfall	Latitude		Longitude			Receiving Water	
	Number	Deg.	Min.	Sec.	Deg.	Min.	Sec.	Receiving water
ſ	004	37°	38'	51"	88°	20'	49"	Unnamed tributary to Little Eagle Creek
ĺ	005	37°	40'	35"	88°	19'	12"	Unnamed tributary to Black Branch

Groundwater monitoring at this facility consists of Monitoring Well No. MW-27. Monitoring data as required by IDNR/OMM for Well No. MW-27 shall be submitted to the Agency.

An Agency review was performed on the information contained in IEPA Log No. 7515-11 and a determination was made that the groundwater monitoring for Well No. MW-124 has been completed. Based on a review of the monitoring data and subsequent to the request contained in IEPA Log No. 6162-12, approval was hereby granted to cease monitoring and abandon Groundwater Monitoring Well No. MW-124.

As proposed in IEPA Log No. 9162-09, non-toxic, non-combustible material may be disposed on-site and covered with a minimum of 4 feet of earthen material during final reclamation of the area.

Facility name change from Arclar Company, L.L.C. to Peabody Arclar Mining, L.L.C. as proposed in IEPA Log No. 8087-10.

All water remaining upon abandonment must meet the requirements of 35 III. Adm. Code 406.202. For the constituents not covered by Parts 302 or 303, all water remaining upon abandonment must meet the requirements of 35 III. Adm. Code 406.106.

This Construction Authorization supersedes and replaces Construction Authorization No. 8310-00 previously issued for the herein permitted facilities and activities.

The abandonment plan shall be executed and completed in accordance with 35 III. Adm. Code 405.109.

This Authorization is issued subject to the following Conditions. If such Conditions require additional or revised facilities, satisfactory engineering plan documents must be submitted to this Agency for review and approval to secure issuance of a Supplemental Authorization to Construct.

- 1. If any statement or representation is found to be incorrect, this permit may be revoked and the permittee thereupon waives all rights thereunder.
- 2. The issuance of this permit (a) shall not be considered as in any manner affecting the title of the premises upon which the mine or mine refuse area is to be located; (b) does not release the permittee from any liability for damage to person or property caused by or resulting from the installation, maintenance or operation of the proposed facilities; (c) does not take into consideration the structural stability of any units or parts of the project; and (d) does not release the permittee from compliance with other applicable statutes of the State of Illinois, or with applicable local laws, regulations or ordinances.
- 3. Final plans, specifications, application and supporting documents as submitted by the person indicated on Page 1 as approved shall constitute part of this permit in the records of the Illinois Environmental Protection Agency.
- 4. There shall be no deviations from the approved plans and specifications unless revised plans, specifications and application shall first have been submitted to the Illinois Environmental Protection Agency and a supplemental permit issued.

Construction Authorization No. 4327-14

C.A. Date: July 20, 2015

- 5. The permit holder shall notify the Environmental Protection Agency (217/782-3637) immediately of an emergency at the mine or mine refuse area which causes or threatens to cause a sudden discharge of contaminants into the waters of Illinois and shall immediately undertake necessary corrective measures as required by 35 III. Adm. Code 405.111. (217/782-3637 for calls between the hours of 5:00 p.m. to 8:30 a.m. and on weekends.)
- 6. The termination of an NPDES discharge monitoring point or cessation of monitoring of an NPDES discharge is not authorized by this Agency until the permittee submits adequate justification to show what alternate treatment is provided or that untreated drainage will meet applicable effluent and water quality standards.
- 7. Initial construction activities in areas to be disturbed shall be for collection and treatment facilities only. Prior to the start of other activities, surface drainage controls shall be constructed and operated to avoid violations of the Act or Subtitle D. At such time as runoff water is collected in the sedimentation pond, a sample shall be collected and analyzed, for the parameters designated as 1M through 15M under Part 5-C of Form 2C and the effluent parameters designated herein with the results sent to this Agency. Should additional treatment be necessary to meet the standards of 35 III. Adm. Code 406.106 or applicable water quality standards, a Supplemental Permit must be obtained. Discharge from ponds is not allowed unless applicable effluent and water quality standards are met in the basin discharge(s).
- 8. This Agency must be informed in writing and an application submitted if drainage, which was previously classified as alkaline (pH greater than 6.0), becomes acid (pH less than 6.0) or ferruginous (base flow with an iron concentration greater than 10 mg/l). The type of drainage reporting to the basin should be reclassified in a manner consistent with the applicable rule of 35 III. Adm. Code 406 as amended in R84-29 at 11 III. Reg. 12899. The application should discuss the treatment method and demonstrate how the discharge will meet the applicable standards.
- 9. A permittee has the obligation to add a settling aid if necessary to meet the suspended solids or settleable solids effluent standards. The selection of a settling aid and the application practice shall be in accordance with a. or b. below
 - a. Alum (Al₂(SO₄)₃), hydrated lime (Ca(OH)₂), soda ash (Na₂CO₃), alkaline pit pumpage, acetylene production by-product (tested for impurities), and ground limestone are acceptable settling aids and are hereby permitted for alkaline mine drainage sedimentation ponds.
 - b. Any other settling aids such as commercial flocculents and coagulants are permitted only on prior approval from the Agency. To obtain approval a permittee must demonstrate in writing to the Agency that such use will not cause a violation of the toxic substances standard of 35 III. Adm. Code 302.210 or of the appropriate effluent and water quality standards of 35 III. Adm. Code parts 302, 304, and 406.
- 10. A general plan for the nature and disposition of all liquids used to drill boreholes shall be filed with this Agency prior to any such operation. This plan should be filed at such time that the operator becomes aware of the need to drill unless the plan of operation was contained in a previously approved application.
- 11. Any of the following shall be a violation of the provisions required under 35 III. Adm. Code 406.202:
 - a. It is demonstrated that an adverse effect on the environment in and around the receiving stream has occurred or is likely to occur.
 - b. It is demonstrated that the discharge has adversely affected or is likely to adversely affect any public water supply.
 - c. The Agency determines that the permittee is not utilizing Good Mining Practices as identified in 35 III. Adm. Code 406.204, 406.205, 406.206, 406.207 and 406.208.

Special Conditions

<u>Special Condition No. 1</u>: No effluent from any mine related facility area under this permit shall, alone or in combination with other sources, cause a violation of any applicable water quality standard as set out in the Illinois Pollution Control Board Rules and Regulations, Subtitle C: Water Pollution.

<u>Special Condition No. 2</u>: Samples taken in compliance with the effluent monitoring requirements shall be taken at a point representative of the discharge, but prior to entry into the receiving stream.

<u>Special Condition No. 3</u>: All periodic monitoring and reporting forms, including Discharge Monitoring Report (DMR) forms, shall be submitted to the Agency according to the schedule outlined in Special Condition No. 4 or 5 below with one (1) copy forwarded to each of the following addresses:

Illinois Environmental Protection Agency Division of Water Pollution Control 1021 North Grand Ave., East P.O. Box 19276 Springfield, IL 62794-9276 Illinois Environmental Protection Agency Mine Pollution Control Program 2309 West Main Street, Suite 116 Marion, Illinois 62959

Attn: Compliance Assurance Section

The Permittee may choose to submit electronic DMRs (NetDMR) instead of submitting paper DMRs. Information, including registration information for the NetDMR program can be obtained on the IEPA website, http://www.epa.state.il.us/water/net-dmr/index.html.

Should electronic filing (NetDMR) be elected for DMR monitoring and reporting requirements, a written notification shall be submitted to the Mine Pollution Control Program at the Marion, Illinois address indicated above that such electronic monitoring has been elected providing an indication of the date and/or quarter in which this electronic filing will be initiated.

<u>Special Condition No. 4</u>: Completed Discharge Monitoring Report (DMR) forms and as well as upstream and downstream monitoring results, shall be retained by the Permittee for a period of three (3) months and shall be mailed and received by the IEPA at the addresses indicated in Special Condition No. 3 above in accordance with the following schedule, unless otherwise specified by the permitting authority.

Period Received by IEPA

January, February, March
April, May, June
July, August, September
October, November, December
April 15
October 15
October, November, December
January 15

The Permittee shall record discharge monitoring results on Discharge Monitoring Report (DMR) forms using one such form for each Outfall and Discharge Condition each month. In the event that an Outfall does not discharge during a monthly reporting period or under a given Discharge Condition, the DMR form shall be submitted with "No Discharge" indicated.

In the event that electronic filing is being utilized, any and all monitoring results, other than NPDES outfall discharge results reported through NetDMR, shall be submitted to the Agency at the addresses indicated in Special Condition No. 3 above.

<u>Special Condition No. 5</u>: Completed periodic monitoring and reporting, other than DMR's and stream monitoring (i.e., groundwater monitoring, coal combustion waste analysis reports, etc.), shall be retained by the Permittee for a period of three (3) months and shall be mailed and received by the IEPA at the addresses indicated in Special Condition No. 3 above in accordance with the following schedule, unless otherwise specified by the permitting authority.

Period Received by IEPA

January, February, MarchMay 1April, May, JuneAugust 1July, August, SeptemberNovember 1October, November, DecemberFebruary 1

Special Condition No. 6: The Agency may revise or modify the permit consistent with applicable laws, regulations or judicial orders.

Special Condition No. 7: If an applicable effluent standard or limitation is promulgated under Sections 301(b)(2)(C) and (D), 304(b)(2), and 307(a)(2) of the Clean Water Act and that effluent standard or limitation is more stringent than any effluent limitation in the permit or controls a pollutant not limited in the NPDES Permit, the Agency shall revise or modify the permit in accordance with the more stringent standard or prohibition and shall so notify the permittee.

Special Conditions

<u>Special Condition No. 8</u>: The permittee shall notify the Agency in writing by certified mail within thirty days of abandonment, cessation, or suspension of active mining for thirty days or more unless caused by a labor dispute. During cessation or suspension of active mining, whether caused by a labor dispute or not, the permittee shall provide whatever interim impoundment, drainage diversion, and wastewater treatment is necessary to avoid violations of the Act or Subtitle D.

Special Condition No. 9: Plans must be submitted to and approved by this Agency prior to construction of a sedimentation pond. At such time as runoff water is collected in the sedimentation pond, a sample shall be collected and analyzed for the parameters designated as 1M-15M under Part 5-C of Form 2C and the effluent parameters designated herein with the results sent to this Agency. Should additional treatment be necessary to meet these standards, a Supplemental Permit must also be obtained. Discharge from a pond is not allowed unless applicable effluent and water quality standards are met.

Special Condition No. 10: The special reclamation area effluent standards of 35 III. Adm. Code 406.109 apply only on approval from the Agency. To obtain approval, a request form and supporting documentation shall be submitted to request the discharge be classified as a reclamation area discharge. The Agency will notify the permittee upon approval of the change.

Special Condition No. 11: The special stormwater effluent standards apply only on approval from the Agency. To obtain approval, a request with supporting documentation shall be submitted to request the discharge to be classified as a stormwater discharge. The documentation supporting the request shall include analysis results indicating the discharge will consistently comply with reclamation area discharge effluent standards. The Agency will notify the permittee upon approval of the change.

<u>Special Condition No. 12</u>: Annual stormwater monitoring is required for all discharges not reporting to a sediment basin until Final SMCRA Bond is released and approval to cease such monitoring is obtained from the Agency.

- A. Each discharge must be monitored for pH and settleable solids annually.
- B. Analysis of samples must be submitted with second quarter Discharge Monitoring Reports. A map with discharge locations must be included in this submittal.
- C. If discharges can be shown to be similar, a plan may be submitted by November 1 of each year preceding sampling to propose grouping of similar discharges and/or update previously submitted groupings. If updating of a previously submitted plan is not necessary, a written notification to the Agency indicating such is required. Upon approval from the Agency, one representative sample for each group may be submitted.

Special Condition No. 13: Sediment Pond Operation and Maintenance (Outfall 004):

- b. The following sampling and monitoring requirements are applicable to flow in the unnamed tributaries to Little Eagle Creek which receive discharges from Outfall 004.
 - i. All sampling and monitoring required under 13(a)(ii) and (iii) below shall be performed during a discharge and monitoring event from the associated outfall.
 - ii. Unnamed tributaries to Little Eagle Creek shall be monitored and reported quarterly for Discharge Rate, Chloride, Sulfate and Hardness downstream of the associated outfall. This downstream monitoring shall be performed a sufficient distance downstream of the associated outfall to ensure that complete mixing has occurred. At such time that sufficient information has been collected regarding receiving stream flow characteristics and in-stream contaminant concentrations the permittee may request a re-evaluation of the monitoring frequency required herein for possible reduction or elimination. For the purpose of re-evaluating the downstream monitoring frequency of the receiving stream, "sufficient information" is defined as a minimum of ten (10) quarterly sampling events.
 - In the event that downstream monitoring of the receiving waters is eliminated during the term of this permit based on an evaluation of the quarterly data, a minimum of three (3) additional samples analyzed for the parameters identified above must be submitted with the permit renewal application a minimum of 180 days prior to expiration of this permit.
 - iii. Unnamed tributaries to Little Eagle Creek shall be monitored and reported annually for Discharge Rate, Chloride, Sulfate and Hardness upstream of the associated outfall.

<u>Special Condition No. 14</u>: Data collected in accordance with Special Condition No. 13 above will be utilized to evaluate the appropriateness of the effluent limits established in this Permit. Should the Agency's evaluation of this data indicate revised effluent limits are warranted; this permit may be reopened and modified to incorporate more appropriate effluent limitations. This data will also be used for determination of effluent limitations at the time of permit renewal.